

Appendix A

ALLERGEN SOURCE	SYSTEMATIC AND ORIGINAL NAMES	MW kDa	SEQ	ACCESSION NO. OR REFERENCES
WEED POLLENS				
<i>Asterales</i>				
Ambrosia artemisiifolia (short ragweed)	Amb a 1; antigen E	38	C	8,20
	Amb a 2; antigen K	38	C	8,21
	Amb a 3; Ra3	11	C	22
	Amb a 5; Ra5	5	C	11,23
	Amb a 6; Ra6	10	C	24,25
	Amb a 7; Ra7	12	P	26
	Amb a ?	11	C	27
Ambrosia trifida (giant ragweed)	Amb t 5; Ra5G	4.4	C	9,10,28
Artemisia vulgaris (mugwort)	Art v 1	27-29	C	28A
	Art v 2	35	P	29
Helianthus annuus (sunflower)	Hel a 1	34	-	29a
	Hel a 2; profilin	15.7	C	Y15210
Mercurialis annua	Mer a 1; profilin	14-15	C	Y13271
GRASS POLLENS				
<i>Poales</i>				
Cynodon dactylon (Bermuda grass)	Cyn d 1	32	C	30,S83343
	Cyn d 7		C	31,X91256
	Cyn d 12; profilin	14	C	31a,Y08390
Dactylis glomerata (orchard grass)	Dac g 1; AgDg1	32	P	32
	Dac g 2	11	C	33,S45354
	Dac g 3		C	33a,U25343
	Dac g 5	31	P	34
Holcus lanatus (velvet grass)	Hol l 1		C	Z27084,Z68893
Lolium perenne (rye grass)	Lol p 1; group I	27	C	35,36
	Lol p 2; group II	11	C	37,37a,X73363
	Lol p 3; group III	11	C	38
	Lol p 5; Lol p IX, Lol p Ib	31/35		34,39
	Lol p 11; trypsin inh. Related	16		39a
Phalaris aquatica (canary grass)	Pha a 1		C	40,S80654
Phleum pratense (timothy grass)	Phl p 1	27	C	X78813
	Phl p 2		C	41,X75925
	Phl p 4		P	41A
	Phl p 5; Ag25	32	C	42
	Phl p 6		C	43,Z27082
	Phl p 12; profilin		C	44,X77583

	Phl p 13; polygalacturonase	55-60	C	AJ238848
Poa pratensis (Kentucky blue grass)	Poa p 1; group I Poa p 5	33 31/34	P C	46 34,47
Sorghum halepense (Johnson grass)	Sor h 1		C	48
TREE POLLENS				
<i>Fagales</i>				
Alnus glutinosa (alder)	Aln g 1	17	C	S50892
Betula verrucosa (birch)	Bet v 1	17	C	see list of isoallergens M65179
	Bet v 2; profilin	15	C	X79267
	Bet v 3	8	C	X87153/S54819
	Bet v 4		C	AF135127
	Bet v 5; isoflavone reductase homologue	33.5	C	
	Bet v 7; cyclophilin	18	C	P P81531
Carpinus betulus (hornbeam)	Car b 1	17	C	51
Castanea sativa (chestnut)	Cas s 1; Bet v 1 homologue Cas s5; chitinase	22	P	52
Corylus avellana (hazel)	Cor a 1	17	C	53
Quercus alba (white oak)	Que a 1	17	P	54
Cryptomeria japonica (sugi)	Cry j 1	41-45	C	55,56
	Cry j 2		C	57,D29772
Juniperus ashei (mountain cedar)	Jun a 1	43	P	P81294
	Jun a 3	30	P	P81295
Juniperus oxycedrus (prickly juniper)	Jun o 2; calmodulin-like	29	C	AF031471
Juniperus sabinoides (mountain cedar)	Jun s 1	50	P	58
Juniperus virginiana (eastern red cedar)	Jun v 1	43	P	P81825
<i>Oleales</i>				
Fraxinus excelsior (ash)	Fra e 1	20	P	58A
Ligustrum vulgare (privet)	Lig v 1	20	P	58A
Olea europea (olive)	Ole e 1;	16	C	59,60
	Ole e 2; profilin	15-18	C	60A
	Ole e 3;	9.2		60B
	Ole e 4;	32	P	P80741

	Ole e 5; superoxide dismutase Ole e 6;	16 10	P C	P80740 U86342
<i>Syringa vulgaris</i> (lilac)	Syr v 1	20	P	58A
MITES				
<i>Acarus siro</i> (mite)	Aca s 13; fatty acid-bind.prot.	14*	C	AJ006774
<i>Blomia tropicalis</i> (mite)	Blo t 5;		C	U59102
	Blo t 12; Bt11a		C	U27479
	Blo t 13; Bt6 fatty acid-binding prot		C	U58106
<i>Dermatophagoides pteronyssinus</i> (mite)	Der p 1; antigen P1	25	C	61
	Der p 2;	14	C	62
	Der p 3; trypsin	28/30	C	63
	Der p 4; amylase	60	C	64
	Der p 5;	14	P	65
	Der p 6; chymotrypsin	25	C	66
	Der p 7;	22-28	C	67
	Der p 8; glutathione transferase		P	67A
	Der p 9; collagenolytic serine prot.		C	67B
	Der p 10; tropomyosin	36		Y14906
	Der p 14; apolipophorin like p		C	Epton p.c.
<i>Dermatophagoides microceras</i> (mite)	Der m 1;	25	P	68
<i>Dermatophagoides farinae</i> (mite)	Der f 1;	25	C	69
	Der f 2;	14	C	70,71
	Der f 3;	30	C	63
	Der f 10; tropomyosin		C	72
	Der f 11; paramyosin	98	C	72a
	Der f 14; Mag3, apolipophorin		C	D17686
<i>Euroglyphus maynei</i> (mite)	Eur m 14; apolipophorin	177	C	AF149827
<i>Lepidoglyphus destructor</i> (storage mite)	Lep d 2.0101;	15	C	73,74,75
	Lep d 2.0102;	15	C	75
ANIMALS				
<i>Bos domesticus</i> (domestic cattle) (see also foods)	Bos d 2; Ag3, lipocalin	20	C	76, L42867
	Bos d 4; alpha-lactalbumin	14.2	C	M18780
	Bos d 5; beta-lactoglobulin	18.3	C	X14712
	Bos d 6; serum albumin	67	C	M73993
	Bos d 7; immunoglobulin	160		77
	Bos d 8; caseins	20-30		77
<i>Canis familiaris</i> (<i>Canis domesticus</i>) (dog)	Can f 1;	25	C	78,79
	Can f 2;	27	C	78,79
	Can f ?; albumin		C	S72946
<i>Equus caballus</i> (domestic horse)	Equ c 1; lipocalin	25	C	U70823
	Equ c 2; lipocali	18.5	P	79A, 79B
<i>Felis domesticus</i>	Fel d 1; cat-1	38	C	15

(cat saliva)				
Mus musculus (mouse urine)	Mus m 1; MUP	19	C	80,81
Rattus norvegicus (rat urine)	Rat n 1	17	C	82,83
FUNGI				
<i>Ascomycota</i>				
Dothidiales				
Alternaria alternata	Alt a 1;	28	C	U82633
	Alt a 2;	25	C	U87807,U87808
	Alt a 3; heat shock protein	70	C	X78222,
	Alt a 6; ribosomal protein	11	C	U87806
	Alt a 7; YCP4 protein	22	C	X78225
	Alt a 10; aldehyde dehydrogenase	53	C	X78227, P42041
	Alt a 11; enolase	45	C	U82437
	Alt a 12;acid.ribosomal prot P1	11	C	X84216
Cladosporium herbarum	Cla h 1;	13		83a,83b
	Cla h 2;	23		83a,83b
	Cla h 3; aldehyde dehydrogenase	53	C	X78228
	Cla h 4; ribosomal protein	11	C	X78223
	Cla h 5; YCP4 protein	22	C	X78224
	Cla h 6; enolase	46	C	X78226
	Cla h 12;acid.ribosomal prot P1	11	C	X85180
Eurotiales				
	Asp fl 13; alkaline serine proteinase	34		84
Aspergillus Fumigatus	Asp f 1;	18	C	83781,S39330
	Asp f 2;	37	C	U56938
	Asp f 3; peroxisomal protein	19	C	U20722
	Asp f 4;	30	C	AJ001732
	Asp f 5; metalloprotease	42	C	Z30424
	Asp f 6; Mn superoxide dismutase	26.5	C	U53561
	Asp f 7;	12	C	AJ223315
	Asp f 8; ribosomal protein P2	11	C	AJ224333
	Asp f 9;	34	C	AJ223327
	Asp f 10; aspartic protease	34		X85092
	Asp f 11; peptidyl-prolyl isom	24		84a
	Asp f 12; heat shock prot. P70	65	C	U92465
	Asp f 13; alkaline serine proteinase	34		84b
	Asp f 15;	16	C	AJ002026
	Asp f 16;	43	C	g3643813
	Asp f 17;	34	C	AJ224865
	Asp f 18; vacuolar serine	90		84c
	Asp f ?;	55	P	85
	Asp f ?;		P	86
Aspergillus niger	Asp n 14; beta-xylosidase	105	C	AF108944
	Asp n 18; vacuolar serine	34	C	84b

	proteinase Asp n ?;	85	C	Z84377
Aspergillus oryzae	Asp o 2; TKA-amyase A	53	C	D00434,M33218
	Asp o 13; alkaline serine proteinase	34	C	X17561
Penicillium brevicompactum	Pen b 13; alkaline serine Proteinase	33		86a
Penicillium citrinum	Pen c 1; heat shock protein P70	70	C	U64207
	Pen c 3; peroxisomal membrane protein			86b
	Pen c 13; alkaline serine proteinase	33		86a
Penicillium notatum	Pen n 1; N-acetyl glucosaminidase	68		87
	Pen n 13; alkaline serine proteinase	34		89
	Pen n 18; vacuolar serine proteinase	32		89
Penicillium oxalicum	Pen o 18; vacuolar serine proteinase	34		89
Onygenales				
Trichophyton rubrum	Tri r 2;		C	90
	Tri r 4; serine protease		C	90
Trichophyton tonsurans	Tri t 1;	30	P	91
	Tri t 4; serine protease	83	C	90
Saccharomycetales				
Candida albicans	Cand a 1	40	C	88
Candida boidinii	Cand b 2	20	C	J04984,J04985
Basidiomycota				
Basidiolaelastomycetes				
Malassezia furfur	Mal f 1;	21	C	91a
	Mal f 2; MF1 peroxisomal membrane protein			AB011804
	Mal f 3; MF2 peroxisomal membrane protein	20	C	AB011805
	Mal f 4;	35	C	Takesako, p.c.
	Mal f 5;	18*	C	AJ011955
	Mal f 6; cyclophilin homologue	17*	C	AJ011956
Basidiomycetes				
Psilocybe cubensis	Psi c 1; Psi c 2; cyclophilin	16		91b
Coprinus comatus (shaggy cap)	Cop c 1;	11	C	AJ132235
	Cop c 2;			
	Cop c 3;			Brander, p.c.
	Cop c 5;			Brander, p.c.
	Cop c 7;			Brander, p.c.
INSECTS				
Aedes aegyptii (mosquito)	Aed a 1; apyrase	68	C	L12389
	Aed a 2;	37	C	M33157

Apis mellifera (honey bee)	Api m 1; phospholipase A2	16	C	92
	Api m 2; hyaluronidase	44	C	93
	Api m 4; melittin	3	C	94
	Api m 6;	7-8	P	Kettner,p.c.
Bombus pennsylvanicus (bumble bee)	Bom p 1; phospholipase	16	P	95
	Bom p 4; protease		P	95
Blattella germanica (German cockroach)	Bla g 1; Bd90k		C	96
	Bla g 2; aspartic protease	36	C	
	Bla g 4; calycin	21	C	97
	Bla g 5; glutathione transf.	22	C	98
	Bla g 6; troponin C	27	C	98
Periplaneta americana (American cockroach)	Per a 1; Cr-P11	72-78	C	98A
	Per a 3; Cr-P1		C	
	Per a 7; tropomyosin	37	C	Y14854
Chironomus thummi thummi (midges)	Chi t 1-9; hemoglobin	16	C	99
	Chi t 1.01; component III	16	C	P02229
	Chi t 1.02; component IV	16	C	P02230
	Chi t 2.0101; component I	16	C	P02221
	Chi t 2.0102; component IA	16	C	P02221
	Chi t 3; component II-beta	16	C	P02222
	Chi t 4; component IIIA	16	C	P02231
	Chi t 5; component VI	16	C	P02224
	Chi t 6.01; component VIIA	16	C	P02226
	Chi t 6.02; component IX	16	C	P02223
	Chi t 7; component VIIIB	16	C	P02225
	Chi t 8; component VIII	16	C	P02227
	Chi t 9; component X	16	C	P02228
Dolichovespula maculata (white face hornet)	Dol m 1; phospholipase A1	35	C	100
	Dol m 2; hyaluronidase	44	C	101
	Dol m 5; antigen 5	23	C	102,103
Dolichovespula arenaria (yellow hornet)	Dol a 5; antigen 5	23	C	104
Polistes annularis (wasp)	Pol a 1; phospholipase A1	35	P	105
	Pol a 2; hyaluronidase	44	P	105
	Pol a 5; antigen 5	23	C	104
Polistes dominulus (Mediterranean paper wasp)	Pol d 1; Pol d 4; serine protease Pol d 5;	32-34	C	DR Hoffman DR Hoffman P81656
Polistes exclamans (wasp)	Pol e 1; phospholipase A1	34	P	107
	Pol e 5; antigen 5	23	C	104
Polistes fuscatus (wasp)	Pol f 5; antigen 5	23	C	106
Polistes metricus (wasp)	Pol m 5; antigen 5	23	P	106
Vespa crabo (European hornet)	Vesp c 1; phospholipase	34	P	107
	Vesp c 5.0101; antigen 5	23	C	106

	Vesp c 5.0102; antigen 5	23	C	106
Vespa mandarina (giant asian hornet)	Vesp m 1.01; Vesp m 1.02; Vesp m 5;			DR Hoffman DR Hoffman P81657
Vespula flavopilosa (yellowjacket)	Ves f 5; antigen 5	23	C	106
Vespula germanica (yellowjacket)	Ves g 5; antigen 5	23	C	106
Vespula maculifrons (yellowjacket)	Ves m 1; phospholipase A1 Ves m 2; hyaluronidase Ves m 5; antigen 5	33.5 44 23	C P 23	108 109 104
Vespula pennsylvanica (yellowjacket)	Ves p 5; antigen 5	23	C	106
Vespula squamosa (yellowjacket)	Ves s 5; antigen 5	23	C	106
Vespula vidua (wasp)	Ves vi 5;	23	C	106
Vespula vulgaris (yellowjacket)	Ves v 1; phospholipase A1 Ves v 2; hyaluronidase Ves v 5; antigen 5	35 44 23	C P C	105A 105A 104
Myrmecia pilosula (Australian jumper ant)	Myr p 1, Myr p 2;		C C	X70256 S81785
Solenopsis geminata (tropical fire ant)	Sol g 2; Sol g 4			DR Hoffman DR Hoffman
Solenopsis invicta (fire ant)	Sol i 2; Sol i 3; Soli 4;	13 24 13	C C C	110,111 110 110
Solenopsis saevissima (brazilian fire ant)	Sols 2;			DR Hoffman
FOODS				
Gadus callarias (cod)	Gad c 1; allergen M	12	C	112,113
Salmo salar (Atlantic salmon)	Sals 1; parvalbumin	12	C	X97824,X97825
Bos domesticus (domestic cattle)	Bos d 4; alpha-lactalbumin Bos d 5; beta-lactoglobulin Bos d 6; serum albumin Bos d 7; immunoglobulin Bos d 8; caseins	14.2 18.3 67 160 20-30	C C C	M18780 X14712 M73993 77 77
Gallus domesticus (chicken)	Gal d 1; ovomucoid Gald 2; ovalbumin Gald 3; conalbumin (Ag22) Gald 4; lysozyme Gal d 5; serum albumin	28 44 78 14 69	C C C C C	114,115 114,115 114,115 114,115 X60688

Metapenaeus ensis (shrimp)	Met e 1; tropomyosin		C	U08008
Penaeus aztecus (shrimp)	Pen a 1; tropomyosin	36	P	116
Penaeus indicus (shrimp)	Pen i 1; tropomyosin	34	C	117
Todarodes pacificus (squid)	Tod p 1; tropomyosin	38	P	117A
Haliotis Midiae (abalone)	Hal m 1	49	-	117B
Apium graveolens (celery)	Api g 1; Bet v 1 homologue	16*	C	Z48967
	Api g 4; profilin			AF129423
	Api g 5;	55/58	P	P81943
Brassica juncea (oriental mustard)	Bra j 1; 2S albumin	14	C	118
Brassica rapa (turnip)	Bra r 2; prohevein-like protein	25	?	P81729
Hordeum vulgare (barley)	Hor v 1; BMAI-1	15	C	119
Zea mays (maize, corn)	Zea m 14; lipid transfer prot.	9	P	P19656
Corylus avellana (hazelnut)	Cor a 1.0401; Bet v 1 homologue	17	C	AF136945
Malus domestica (apple)	Mal d 1; Bet v 1 homologue		C	X83672
	Mal d 3; lipid transfer protein	9	C	Pastorello
Pyrus communis (pear)	Pyr c 1; Bet v 1 homologue	18	C	AF05730
	Pyr c 4; profilin	14	C	AF129424
	Pyr c 5; isoflavone reductase homologue	33.5	C	AF071477
Oryza sativa (rice)	Ory s 1;		C	U31771
Persea americana (avocado)	Pers a 1; endochitinase	32	C	Z78202
Prunus armeniaca (apricot)	Pru ar 1; Bet v 1 homologue		C	U93165
	Pru ar 3; lipid transfer protein	9	P	
Prunus avium (sweet cherry)	Pru av 1; Bet v 1 homologue		C	U66076
	Pru av 2; thaumatin homologue		C	U32440
	Pru av 4; profilin	15	C	AF129425
Prunus persica (peach)	Pru p 3; lipid transfer protein	10	P	P81402
Sinapis alba (yellow mustard)	Sin a 1; 2S albumin	14	C	120
Glycine max (soybean)	Gly m 1.0101; HPS	7.5	P	121
	Gly m 1.0102; HPS	7	P	121
	Gly m 2	8	P	A57106
	Gly m 3; profilin	14	C	AJ223982

Arachis hypogaea (peanut)	Ara h 1; vicilin	63.5	C	L34402
	Ara h 2; conglutin	17	C	L77197
	Ara h 3; glycinin	14	C	AF093541
	Ara h 4; glycinin	37	C	AF086821
	Ara h 5; profilin	15	C	AF059616
	Ara h 6; conglutin homolog	15	C	AF092846
	Ara h 7; conglutin homolog	15	C	AF091737
Actinidia chinensis (kiwi)	Act c 1; cysteine protease	30	P	P00785
Solanum tuberosum (potato)	Sol t 1; patatin	43	P	P15476
Bertholletia excelsa (Brazil nut)	Ber e 1; 2S albumin	9	C	P04403,M17146
Juglans regia (English walnut)	Jug r 1; 2S albumin	44	C	U66866
	Jug r 2; vicilin		C	AF066055
Ricinus communis (Castor bean)	Ric c 1; 2S albumin		C	P01089
OTHERS				
Anisakis simplex (nematode)	Ani s 1	24	P	A59069
	Ani s 2; paramyosin	97	C	AF173004
Ascaris suum (worm)	Asc s 1;	10	P	122
Aedes aegyptii (mosquito)	Aed a 1; apyrase	68	C	L12389
	Aed a 2;	37	C	M33157
Hevea brasiliensis (rubber)	Hev b 1; elongation factor	58	P	123,124
	Hev b 2; (1,3-glucanase	58	P	123,124
	Hev b 2; (1,3-glucanase	34/36	C	125
	Hev b 3	24	P	126,127
	Hev b 4; component of microhelix protein complex	100/110/115	P	128
	Hev b 5	16	C	U42640
	Hev b 6.01 hevein precursor	20	C	M36986/p02877
	Hev b 6.02 hevein	5	C	M36986/p02877
	Hev b 6.03 C-terminal fragment	14	C	M36986/p02877 U80598
	Hev b 7; patatin homologue	46	C	Y15042
	Hev b 8; profilin	14	C	AJ132580/AJ1
	Hev b 9; enolase	51	C	32581
	Hev b 10; Mn-superoxide dismut	26	C	AJ249148
Ctenocephalides felis felis (cat flea)	Cte f 1;	-	-	-
	Cte f 2; M1b	27	C	AF231352
Homo sapiens (human autoallergens)	Hom s 1;	73*	C	Y14314
	Hom s 2;	10.3*	C	X80909
	Hom s 3;	20.1*	C	X89985

	Hom s 4;	36*	C	Y17711
	Hom s 5;	42.6*	C	P02538

1. Marsh, D.G., and L.R. Freidhoff. 1992. ALBE, an allergen database. IUIS, Baltimore, MD, Edition 1.0.
2. Marsh, D.G., L. Goodfriend, T.P. King, H. Lowenstein, and T.A.E. Platts-Mills. 1986. Allergen nomenclature. Bull WHO 64:767-770.
3. King, T.P., P.S. Norman, and J.T. Cornell. 1964. Isolation and characterization of allergen from ragweed pollen. II. Biochemistry 3:458-468.
4. Lowenstein, H. 1980. Timothy pollen allergens. Allergy 35:188-191.
5. Aukrust, L. 1980. Purification of allergens in *Cladosporium herbarum*. Allergy 35:206-207.
6. Demerec, M., E.A. Adelberg, A.J. Clark, and P.E. Hartman. 1966. A proposal for a uniform nomenclature in bacterial genetics. Genetics 54:61-75.
7. Bodmer, J.G., E.D. Albert, W.F. Bodmer, B. Dupont, H.A. Erlich, B. Mach, S.G.E. Marsh, W.R. Mayr, P. Parham, T. Sasuki, G.M. Th. Schreuder, J.L. Strominger, A. Svejgaard, and P.I. Terasaki. 1991. Nomenclature for factors of the HLA system, 1990. Immunogenetics 33:301-309.
8. Griffith, I.J., J. Pollock, D.G. Klapper, B.L. Rogers, and A.K. Nault. 1991. Sequence polymorphism of Amb a I and Amb a II, the major allergens in *Ambrosia artemisiifolia* (short ragweed). Int. Arch. Allergy Appl. Immunol. 96:296-304.
9. Roebber, M., D.G. Klapper, L. Goodfriend, W.B. Bias, S.H. Hsu, and D.G. Marsh. 1985. Immunochemical and genetic studies of Amb t V (Ra5G), an Ra5 homologue from giant ragweed pollen. J. Immunol. 134:3062-3069.
10. Metzler, W.J., K. Valentine, M. Roebber, M. Friedrichs, D.G. Marsh, and L. Mueller. 1992. Solution structures of ragweed allergen Amb t V. Biochemistry 31:5117-5127.
11. Metzler, W.J., K. Valentine, M. Roebber, D.G. Marsh, and L. Mueller. 1992. Proton resonance assignments and three-dimensional solution structure of the ragweed allergen Amb a V by nuclear magnetic resonance spectroscopy. Biochemistry 31:8697-8705.
12. Goodfriend, L., A.M. Choudhury, J. Del Carpio, and T.P. King. 1979. Cytochromes C: New ragweed pollen allergens. Fed. Proc. 38:1415.
13. Ekramoddoullah, A.K.M., F.T. Kisil, and A.H. Sehon. 1982. Allergenic cross reactivity of cytochrome c from Kentucky bluegrass and perennial ryegrass pollens. Mol. Immunol. 19:1527-1534.
14. Ansari, A.A., E.A. Killoran, and D.G. Marsh. 1987. An investigation of human response to perennial ryegrass (*Lolium perenne*) pollen cytochrome c (Lol p X). J. Allergy Clin. Immunol. 80:229-235.
15. Morgenstern, J.P., I.J. Griffith, A.W. Brauer, B.L. Rogers, J.F. Bond, M.D. Chapman, and M. Kuo. 1991. Amino acid sequence of Fel d I, the major allergen of the domestic cat: protein sequence analysis and cDNA cloning. Proc. Natl. Acad. Sci. USA 88:9690-9694.
16. Griffith, I.J., S. Craig, J. Pollock, X. Yu, J.P. Morgenstern, and B.L. Rogers. 1992. Expression and genomic structure of the genes encoding FdI, the major allergen from the domestic cat. Gene 113:263-268.
17. Weber, A., L. Marz, and F. Altmann. 1986. Characteristics of the asparagine-linked oligosaccharide from honey-bee venom phospholipase A2. Comp. Biochem. Physiol. 83B:321-324.
18. Weber, A., H. Schroder, K. Thalberg, and L. Marz. 1987. Specific interaction of IgE antibodies with a carbohydrate epitope of honey bee venom phospholipase A2. Allergy 42:464-470.
19. Stanworth, D.R., K.J. Dorrington, T.E. Hugli, K. Reid, and M.W. Turner. 1990. Nomenclature for synthetic peptides representative of immunoglobulin chain sequences. Bulletin WHO 68:109-111.
20. Rafnar, T., I.J. Griffith, M.C. Kuo, J.F. Bond, B.L. Rogers, and D.G. Klapper. 1991. Cloning of Amb a I (Antigen E), the major allergen family of short ragweed pollen. J. Biol. Chem. 266: 1229-1236.
21. Rogers, B.L., J.P. Morgenstern, I.J. Griffith, X.B. Yu, C.M. Counsell, A.W. Brauer, T.P. King, R.D. Garman, and M.C. Kuo. 1991. Complete sequence of the allergen Amb a II: recombinant expression and reactivity with T cells from ragweed allergic patients. J. Immunol. 147:2547-2552.
22. Klapper, D.G., L. Goodfriend, and J.D. Capra. 1980. Amino acid sequence of ragweed allergen Ra3. Biochemistry 19:5729-5734.
23. Ghosh, B., M.P. Perry, T. Rafnar, and D.G. Marsh. 1993. Cloning and expression of immunologically active recombinant Amb a V allergen of short ragweed (*Ambrosia artemisiifolia*) pollen. J. Immunol. 150:5391-5399.
24. Roebber, M., R. Hussain, D.G. Klapper, and D.G. Marsh. 1983. Isolation and properties of a new short ragweed pollen allergen, Ra6. J. Immunol. 131:706-711.
25. Lubahn, B., and D.G. Klapper. 1993. Cloning and characterization of ragweed allergen Amb a VI (abst). J. Allergy Clin. Immunol. 91:338.
26. Roebber, M., and D.G. Marsh. 1991. Isolation and characterization of allergen Amb a VII from short ragweed pollen. J. Allergy Clin. Immunol. 87:324.
27. Rogers, B.L., J. Pollock, D.G. Klapper, and I.J. Griffith. 1993. Cloning, complete sequence, and recombinant expression of a novel allergen from short ragweed pollen (abst). J. Allergy Clin. Immunol. 91:339.
28. Goodfriend, L., A.M. Choudhury, D.G. Klapper, K.M. Coulter, G. Dorval, J. DelCarpio, and C.K. Osterland. 1985. Ra5G, a homologue of Ra5 in giant ragweed pollen: isolation, HLA-DR-associated activity and amino acid sequence. Mol. Immunol. 22:899-906.
- 28A. Breitenbach M, pers. comm.
29. Nilsen, B.M., K. Sletten, M. O'Neill, B. Smestad Paulsen, and H. van Halbeek. 1991. Structural analysis of the glycoprotein allergen Art v II from pollen of mugwort (*Artemisia vulgaris*). J. Biol. Chem. 266:2660-2668.
- 29A Jimenez A, Moreno C, Martinez J, Martinez A, Bartolome B, Guerra F, Palacios R 1994. Sensitization to sunflower pollen: only an occupational allergy? Int Arch Allergy Immunol 105:297-307.
30. Smith, P.M., Suphioglu, C., Griffith, I.J., Theriault, K., Knox, R.B. and Singh, M.B. 1996. Cloning and expression in yeast *Pichia pastoris* of a biologically active form of Cyn d 1, the major allergen of Bermuda grass pollen. J. Allergy Clin. Immunol. 98:331-343.

31. Suphioglu, C., Ferreira, F. and Knox, R.B. 1997. Molecular cloning and immunological characterisation of Cyn d 7, a novel calcium-binding allergen from Bermuda grass pollen. *FEBS Lett.* 402:167-172.
- 31a. Asturias JA, Arilla MC, Gomez-Bayon N, Martinez J, Martinez A, and Palacios R. 1997. Cloning and high level expression of Cynodon dactylon (Bermuda grass) pollen profilin (Cyn d 12) in *Escherichia coli*: purification and characterization of the allergen. *Clin Exp Allergy* 27:1307-1313.
32. Mecheri, S., G. Peltre, and B. David. 1985. Purification and characterization of a major allergen from *Dactylis glomerata* pollen: The Ag Dg 1. *Int. Arch. Allergy Appl. Immunol.* 78:283-289.
33. Roberts, A.M., L.J. Bevan, P.S. Flora, I. Jepson, and M.R. Walker. 1993. Nucleotide sequence of cDNA encoding the Group II allergen of Cocksfoot/Orchard grass (*Dactylis glomerata*), Dac g II. *Allergy* 48:615-623.
- 33a. Guerin-Marchand, C., Senechal, H., Bouin, A.P., Leduc-Brodard, V., Taudou, G., Weyer, A., Peltre, G. and David, B. 1996. Cloning, sequencing and immunological characterization of Dac g 3, a major allergen from *Dactylis glomerata* pollen. *Mol. Immunol.* 33:797-806.
34. Klysner, S., K. Welinder, H. Lowenstein, and F. Matthiesen. 1992. Group V allergens in grass pollen IV. Similarities in amino acid compositions and amino terminal sequences of the group V allergens from *Lolium perenne*, *Poa pratensis* and *Dactylis glomerata*. *Clin. Exp. Allergy* 22: 491-497.
35. Perez, M., G. Y. Ishioka, L. E. Walker, and R. W. Chesnut. 1990. cDNA cloning and immunological characterization of the rye grass allergen Lol p I. *J. Biol. Chem.* 265:16210-16215.
36. Griffith, I. J., P. M. Smith, J. Pollock, P. Theerakulpisut, A. Avjioglu, S. Davies, T. Hough, M. B. Singh, R. J. Simpson, L. D. Ward, and R. B. Knox. 1991. Cloning and sequencing of Lol p I, the major allergenic protein of rye-grass pollen. *FEBS Letters* 279:210-215.
37. Ansari, A. A., P. Shenbagamurthi, and D.G. Marsh. 1989. Complete primary structure of a *Lolium perenne* (perennial rye grass) pollen allergen, Lol p II. *J. Biol. Chem.* 264:11181-11185.
- 37a. Sidoli, A., Tamborini, E., Giuntini, I., Levi, S., Volonte, G., Paini, C., De Lalla, C., Siccardi, A.G., Baralle, F.E., Galliani, S. and Arosio, P. 1993. Cloning, expression, and immunological characterization of recombinant *Lolium perenne* allergen Lol p II. *J. Biol. Chem.* 268:21819-21825.
38. Ansari, A. A., P. Shenbagamurthi, and D. G. Marsh. 1989. Complete primary structure of a *Lolium perenne* (perennial rye grass) pollen allergen, Lol p III: Comparison with known Lol p I and II sequences. *Biochemistry* 28:8665-8670.
39. Singh, M. B., T. Hough, P. Theerakulpisut, A. Avjioglu, S. Davies, P. M. Smith, P. Taylor, R. J. Simpson, L. D. Ward, J. McCluskey, R. Puy, and R.B. Knox. 1991. Isolation of cDNA encoding a newly identified major allergenic protein of rye-grass pollen: Intracellular targeting to the amyloplast. *Proc. Natl. Acad. Sci.* 88:1384-1388.
- 39a. van Ree R, Hoffman DR, van Dijk W, Brodard V, Mahieu K, Koeleman CA, Grande M, van Leeuwen WA, Aalberse RC. 1995. Lol p XI, a new major grass pollen allergen, is a member of a family of soybean trypsin inhibitor-related proteins. *J Allergy Clin Immunol* 95:970-978.
40. Suphioglu, C. and Singh, M.B. 1995. Cloning, sequencing and expression in *Escherichia coli* of Pha a 1 and four isoforms of Pha a 5, the major allergens of canary grass pollen. *Clin. Exp. Allergy* 25:853-865.
41. Dolecek, C., Vrtala, S., Laffer, S., Steinberger, P., Kraft, D., Scheiner, O. and Valenta, R. 1993. Molecular characterization of Phl p II, a major timothy grass (*Phleum pratense*) pollen allergen. *FEBS Lett.* 335:299-304.
- 41A. Fischer S, Grote M, Fahlbusch B, Muller WD, Kraft D, Valenta R. 1996. Characterization of Phl p 4, a major timothy grass (*Phleum pratense*) pollen allergen. *J Allergy Clin Immunol* 98:189-198.
42. Matthiesen, F., and H. Lowenstein. 1991. Group V allergens in grass pollens. I. Purification and characterization of the group V allergen from *Phleum pratense* pollen, Phl p V. *Clin. Exp. Allergy* 21:297-307.
43. Petersen, A., Bufer, A., Schramm, G., Schlaak, M. and Becker, W.M. 1995. Characterization of the allergen group VI in timothy grass pollen (Phl p 6). II. cDNA cloning of Phl p 6 and structural comparison to grass group V. *Int. Arch. Allergy Immunol.* 108:55-59.
44. Valenta, R., Ball, T., Vrtala, S., Duchene, M., Kraft, D. and Scheiner, O. 1994. cDNA cloning and expression of timothy grass (*Phleum pratense*) pollen profilin in *Escherichia coli*: comparison with birch pollen profilin. *Biochem. Biophys. Res. Commun.* 199:106-118.
46. Esch, R. E., and D. G. Klapper. 1989. Isolation and characterization of a major cross-reactive grass group I allergenic determinant. *Mol. Immunol.* 26:557-561.
47. Olsen, E., L. Zhang, R. D. Hill, F. T. Kisil, A. H. Sehon, and S. Mohapatra. 1991. Identification and characterization of the *Poa p IX* group of basic allergens of Kentucky bluegrass pollen. *J. Immunol.* 147:205-211.
48. Avjioglu, A., M. Singh, and R.B. Knox. 1993. Sequence analysis of Sor h I, the group I allergen of Johnson grass pollen and its comparison to rye-grass Lol p I (abst). *J. Allergy Clin. Immunol.* 91:340.
51. Larsen, J.N., P. Strömman, and H. Ipsen. 1992. PCR based cloning and sequencing of isogenes encoding the tree pollen major allergen Car b I from *Carpinus betulus*, hornbeam. *Mol. Immunol.* 29:703-711.
52. Kos T, Hoffmann-Sommergruber K, Ferreira F, Hirschehr R, Ahorn H, Horak F, Jager S, Sperr W, Kraft D, Scheiner O. 1993. Purification, characterization and N-terminal amino acid sequence of a new major allergen from European chestnut pollen—Cas s 1. *Biochem Biophys Res Commun* 196:1086-92.
53. Breiteneder, H., F. Ferreira, K. Hoffman-Sommergruber, C. Ebner, M. Breitenbach, H. Rumpold, D. Kraft, and O. Scheiner. 1993. Four recombinant isoforms of Cor a I, the major allergen of hazel pollen. *Europ. J. Biochem.* 212:355-362.
54. Ipsen, H., and B.C. Hansen. 1991. The NH2-terminal amino acid sequence of the immunochemically partial identical major allergens of alder (*Alnus glutinosa*) Aln g I, birch (*Betula verrucosa*) Bet v I, hornbeam (*Carpinus betulus*) Car b I and oak (*Quercus alba*) Que a I pollens. *Mol. Immunol.* 28:1279-1288.
55. Taniai, M., S. Ando, M. Usui, M. Kurimoto, M. Sakaguchi, S. Inouye, and T. Matuhasi. 1988. N-terminal amino acid sequence of a major allergen of Japanese cedar pollen (Cry j I). *FEBS Lett.* 239:329-332.
56. Griffith, I.J., A. Lussier, R. Garman, R. Koury, H. Yeung, and J. Pollock. 1993. The cDNA cloning of Cry j I, the major allergen of *Cryptomeria japonica* (Japanese cedar) (abst). *J. Allergy Clin. Immunol.* 91:339.
57. Sakaguchi, M., S. Inouye, M. Taniai, S. Ando, M. Usui, and T. Matuhasi. 1990. Identification of the second major allergen of Japanese cedar pollen. *Allergy* 45:309-312.
58. Gross GN, Zimburean JM, Capra JD 1978. Isolation and partial characterization of the allergen in mountain cedar pollen. *Scand J Immunol* 8:437-41

- 58A. Obispo TM, Melero JA, Carpizo JA, Carreira J, Lombardero M 1993. The main allergen of *Olea europaea* (Ole e I) is also present in other species of the oleaceae family. *Clin Exp Allergy* 23:311-316.
59. Cardaba, B., D. Hernandez, E. Martin, B. de Andres, V. del Pozo, S. Gallardo, J.C. Fernandez, R. Rodriguez, M. Villalba, P. Palomino, A. Basomba, and C. Lahoz. 1993. Antibody response to olive pollen antigens: association between HLA class II genes and IgE response to Ole e I (abst). *J. Allergy Clin. Immunol.* 91:338.
60. Villalba, M., E. Batanero, C. Lopez-Otin, L.M. Sanchez, R.I. Monsalve, M.A. Gonzalez de la Pena, C. Lahoz, and R. Rodriguez. 1993. Amino acid sequence of Ole e I, the major allergen from olive tree pollen (*Olea europaea*). *Europ.J. Biochem.* 216:863-869.
- 60A. Asturias JA, Arilla MC, Gomez-Bayon N, Martinez J, Martinez A, Palacios R 1997. Cloning and expression of the panallergen profilin and the major allergen (Ole e I) from olive tree pollen. *J Allergy Clin Immunol* 100:365-372.
- 60B. Batanero E, Villalba M, Ledesma A, Puente XS, Rodriguez R. 1996. Ole e 3, an olive-tree allergen, belongs to a widespread family of pollen proteins. *Eur J Biochem* 241: 772-778.
61. Chua, K. Y., G. A. Stewart, and W. R. Thomas. 1988. Sequence analysis of cDNA encoding for a major house dust mite allergen, Der p I. *J. Exp. Med.* 167:175-182.
62. Chua, K. Y., C. R. Doyle, R. J. Simpson, K. J. Turner, G. A. Stewart, and W. R. Thomas. 1990. Isolation of cDNA coding for the major mite allergen Der p II by IgE plaque immunoassay. *Int. Arch. Allergy Appl. Immunol.* 91:118-123.
63. Smith WA, Thomas WR. 1996. Comparative analysis of the genes encoding group 3 allergens from *Dermatophagoides pteronyssinus* and *Dermatophagoides farinae*. *Int Arch Allergy Immunol* 109: 133-40.
64. Lake, F.R., L.D. Ward, R.J. Simpson, P.J. Thompson, and G.A. Stewart. 1991. House dust mite-derived amylase: Allergenicity and physicochemical characterisation. *J. Allergy Clin. Immunol.* 87:1035-1042.
65. Tovey, E. R., M. C. Johnson, A. L. Roche, G. S. Cobon, and B. A. Baldo. 1989. Cloning and sequencing of a cDNA expressing a recombinant house dust mite protein that binds human IgE and corresponds to an important low molecular weight allergen. *J. Exp. Med.* 170:1457-1462.
66. Yasueda, H., T. Shida, T. Ando, S. Sugiyama, and H. Yamakawa. 1991. Allergenic and proteolytic properties of fourth allergens from *Dermatophagoides* mites. In: "Dust Mite Allergens and Asthma. Report of the 2nd international workshop" A. Todt, Ed., UCB Institute of Allergy, Brussels, Belgium, pp. 63-64.
67. Shen, H.-D., K.-Y. Chua, K.-L. Lin, K.-H. Hsieh, and W.R. Thomas. 1993. Molecular cloning of a house dust mite allergen with common antibody binding specificities with multiple components in mite extracts. *Clin. Exp. Allergy* 23:934-40.
- 67A. O'Neil GM, Donovan GR, Baldo BA. 1994. Cloning and characterisation of a major allergen of the house dust mite *Dermatophagoides pteronyssinus*, homologous with glutathione S-transferase. *Biochim Biophys Acta*, 1219:521-528.
- 67B. King C, Simpson RJ, Moritz RL, Reed GE, Thompson PJ, Stewart GA. 1996. The isolation and characterization of a novel collagenolytic serine protease allergen (Der p 9) from the dust mite *Dermatophagoides pteronyssinus*. *J Allergy Clin Immunol* 98:739-47.
68. Lind P, Hansen OC, Horn N. 1988. The binding of mouse hybridoma and human IgE antibodies to the major fecal allergen, Der p I of *D. pteronyssinus*. *J. Immunol.* 140:4256-4262.
69. Dilworth, R. J., K. Y. Chua, and W. R. Thomas. 1991. Sequence analysis of cDNA coding for a major house dust allergen Der f I. *Clin. Exp. Allergy* 21:25-32.
70. Nishiyama, C., T. Yunki, T. Takai, Y. Okumura, and H. Okudaira. 1993. Determination of three disulfide bonds in a major house dust mite allergen, Der f II. *Int. Arch. Allergy Immunol.* 101:159-166.
71. Trudinger, M., K. Y. Chua, and W. R. Thomas. 1991. cDNA encoding the major dust mite allergen Der f II. *Clin. Exp. Allergy* 21:33-38.
72. Aki T, Kodama T, Fujikawa A, Miura K, Shigeta S, Wada T, Jyo T, Murooka Y, Oka S, Ono K. 1995. Immunochemical characterisation of recombinant and native tropomyosins as a new allergen from the house dust mite *Dermatophagoides farinae*. *J Allergy Clin Immunol* 96:74-83.
73. van Hage-Hamsten, M., T. Bergman, E. Johansson, B. Persson, H. Jornvall, B. Harfast, and S.G.O. Johansson. 1993. N-terminal amino acid sequence of major allergen of the mite *lepidoglyphus destructor* (abst). *J. Allergy Clin. Immunol.* 91:353.
74. Varela J, Ventas P, Carreira J, Barbas JA, Gimenez-Gallego G, Polo F. Primary structure of Lep d I, the main *Lepidoglyphus destructor* allergen. *Eur J Biochem* 225:93-98, 1994.
75. Schmidt M, van der Ploeg I, Olsson S, van Hage Hamsten M. The complete cDNA encoding the *Lepidoglyphus destructor* major allergen Lep d I. *FEBS Lett* 370:11-14, 1995.
76. Rautiainen J, Rytkonen M, Pelkonen J, Pentikainen J, Perola O, Virtanen T, Zeiler T, Mantjarvi R. BDA20, a major bovine dander allergen characterized at the sequence level is Bos d 2. Submitted.
77. Gjesing B, Lowenstein H. Immunochemistry of food antigens. *Ann Allergy* 53:602, 1984.
78. de Groot, H., K.G.H. Goei, P. van Swieten, and R.C. Aalberse. 1991. Affinity purification of a major and a minor allergen from dog extract: Serologic activity of affinity-purified Can f I and Can f I-depleted extract. *J. Allergy Clin. Immunol.* 87:1056-1065.
79. Konieczny, A. Personal communication; Immunologic Pharmaceutical Corp.
- 79A. Bulone, V. 1998. Separation of horse dander allergen proteins by two-dimensional electrophoresis. Molecular characterisation and identification of Equ c 2.0101 and Equ c 2.0102 as lipocalin proteins. *Eur J Biochem* 253:202-211.
- 79B. Swiss-Prot acc. P81216, P81217.
80. McDonald, B., M. C. Kuo, J. L. Ohman, and L. J. Rosenwasser. 1988. A 29 amino acid peptide derived from rat alpha 2 euglobulin triggers murine allergen specific human T cells (abst). *J. Allergy Clin. Immunol.* 83:251.
81. Clarke, A. J., P. M. Cissold, R. A. Shaw, P. Beattie, and J. Bishop. 1984. Structure of mouse urinary protein genes: differential splicing configurations in the 3'-non-coding region. *EMBO J* 3:1045-1052.
82. Longbottom, J. L. 1983. Characterization of allergens from the urines of experimental animals. McMillan Press, London, pp. 525-529.
83. Laperche, Y., K. R. Lynch, K. P. Dolans, and P. Feigelsen. 1983. Tissue-specific control of alpha 2u globulin gene expression: constitutive synthesis in submaxillary gland. *Cell* 32:453-460.
- 83A. Aukrust L, Borch SM. 1979. Partial purification and characterization of two *Cladosporium herbarum* allergens. *Int Arch Allergy Appl Immunol* 60:68-79.

- 83B. Sward-Nordmo M, Paulsen BS, Wold JK. 1988. The glycoprotein allergen Ag-54 (Cla h II) from *Cladosporium herbarum*. Structural studies of the carbohydrate moiety. *Int Arch Allergy Appl Immunol* 85:288-294.
84. Shen, et al. *J. Allergy Clin. Immunol.* 103:S157, 1999.
- 84A. Cramer R. Epidemiology and molecular basis of the involvement of *Aspergillus fumigatus* in allergic diseases. *Contrib. Microbiol.* Vol. 2, Karger, Basel (in press).
- 84B. Shen, et al. (manuscript submitted), 1999
- 84C. Shen HD, Ling WL, Tan MF, Wang SR, Chou H, Han SIH. Vacuolar serine proteinase: A major allergen of *Aspergillus fumigatus*. 10th International Congress of Immunology, Abstract, 1998.
85. Kumar, A., L.V. Reddy, A. Sochanik, and V.P. Kurup. 1993. Isolation and characterization of a recombinant heat shock protein of *Aspergillus fumigatus*. *J. Allergy Clin. Immunol.* 91:1024-1030.
86. Teshima, R., H. Ikebuchi, J. Sawada, S. Miyachi, S. Kitani, M. Iwama, M. Irie, M. Ichinoe, and T. Terao. 1993. Isolation and characterization of a major allergenic component (gp55) of *Aspergillus fumigatus*. *J. Allergy Clin. Immunol.* 92:698-706.
- 86A. Shen HD, Lin WL, Tsai JJ, Liaw SF, Han SH. 1996. Allergenic components in three different species of *Penicillium*: crossreactivity among major allergens. *Clin Exp Allergy* 26:444-451.
- 86B. Shen, et al. Abstract; The XVIII Congress of the European Academy of Allergology and Clinical Immunology, Brussels, Belgium, 3-7 July 1999.
87. Shen HD, Liaw SF, Lin WL, Ro LH, Yang HL, Han SH. 1995. Molecular cloning of cDNA coding for the 68 kDa allergen of *Penicillium notatum* using MoAbs. *Clin Exp Allergy* 25:350-356.
88. Shen, H.D., K.B. Choo, H.H. Lee, J.C. Hsieh, and S.H. Han. 1991. The 40 kd allergen of *Candida albicans* is an alcohol dehydrogenase: molecular cloning and immunological analysis using monoclonal antibodies. *Clin. Exp. Allergy* 21:675-681.
89. Shen, et al. *Clin. Exp. Allergy* (in press), 1999.
90. Woodfolk JA, Wheatley LM, Piyasena RV, Benjamin DC, Platts-Mills TA. 1998. Trichophyton antigens associated with IgE antibodies and delayed type hypersensitivity. Sequence homology to two families of serine proteinases. *J Biol Chem* 273:29489-96.
91. Deuell, B., L.K. Arruda, M.L. Hayden, M.D. Chapman and T.A.E. Platts-Mills. 1991. Trichophyton tonsurans Allergen I. *J. Immunol.* 147:96-101.
- 91A. Schmidt M, Zargari A, Holt P, Lindbom L, Hellman U, Whitley P, van der Ploeg I, Harfast B, Scheynius A. 1997. The complete cDNA sequence and expression of the first major allergenic protein of *Malassezia furfur*, Mal f 1. *Eur J Biochem* 246:181-185.
- 91B. Horner WE, Reese G, Lehrer SB. 1995. Identification of the allergen Psi c 2 from the basidiomycete *Psilocybe cubensis* as a fungal cyclophilin. *Int Arch Allergy Immunol* 107:298-300.
92. Kuchler, K., M. Gmachl, M. J. Sippl, and G. Kreil. 1989. Analysis of the cDNA for phospholipase A2 from honey bee venom glands: The deduced amino acid sequence reveals homology to the corresponding vertebrate enzymes. *Eur. J. Biochem.* 184:249-254.
93. Gmachl, M., and G. Kreil. 1993. Bee venom hyaluronidase is homologous to a membrane protein of mammalian sperm. *Proc. Natl. Acad. Sci. USA* 90:3569-3573.
94. Habermann, E. 1972. Bee and wasp venoms. *Science* 177:314-322.
95. Jacobson, R.S., and D.R. Hoffman. 1993. Characterization of bumblebee venom allergens (abst). *J. Allergy Clin. Immunol.* 91:187.
96. Arruda LK, Vailes LD, Mann BJ, Shannon J, Fox JW, Vedvick TS, Hayden ML, Chapman MD. Molecular cloning of a major cockroach (*Blattella germanica*) allergen, Bla g 2. Sequence homology to the aspartic proteases. *J Biol Chem* 270:19563-19568, 1995.
97. Arruda LK, Vailes LD, Hayden ML, Benjamin DC, Chapman MD. Cloning of cockroach allergen, Bla g 4, identifies ligand binding proteins (or calycons) as a cause of IgE antibody responses. *J Biol Chem* 270:31196-31201, 1995.
98. Arruda LK, Vailes LD, Benjamin DC, Chapman MD. Molecular cloning of German Cockroach (*Blattella germanica*) allergens. *Int Arch Allergy Immunol* 107:295-297, 1995.
- 98A. Wu CH, Lee MF, Liao SC. 1995. Isolation and preliminary characterization of cDNA encoding American cockroach allergens. *J Allergy Clin Immunol* 96: 352-9.
99. Mazur, G., X. Baur, and V. Liebers. 1990. Hypersensitivity to hemoglobins of the Diptera family Chironomidae: Structural and functional studies of their immunogenic/allergenic sites. *Monog. Allergy* 28:121-137.
100. Soldatova, L., L. Kochoumian, and T.P. King. 1993. Sequence similarity of a hornet (*D. maculata*) venom allergen phospholipase A1 with mammalian lipases. *FEBS Letters* 320:145-149.
101. Lu, G., L. Kochoumian and T.P. King. Whiteface hornet venom allergen hyaluronidase: cloning and its sequence similarity with other proteins (abst.). 1994. *J. Allergy Clin. Immunol.* 93:224.
102. Fang, K. S. F., M. Vitale, P. Fehner, and T. P. King. 1988. cDNA cloning and primary structure of a white-faced hornet venom allergen, antigen 5. *Proc. Natl. Acad. Sci., USA* 85:895-899.
103. King, T. P., D. C. Moran, D. F. Wang, L. Kochoumian, and B.T. Chait. 1990. Structural studies of a hornet venom allergen antigen 5, Dol m V and its sequence similarity with other proteins. *Prot. Seq. Data Anal.* 3:263-266.
104. Lu, G., M. Villalba, M.R. Coscia, D.R. Hoffman, and T.P. King. 1993. Sequence analysis and antigen cross reactivity of a venom allergen antigen 5 from hornets, wasps and yellowjackets. *J. Immunol.* 150: 2823-2830.
105. King, T. P. and Lu, G. 1997. Unpublished data.
- 105A. King TP, Lu G, Gonzalez M, Qian N and Soldatova L. 1996. Yellow jacket venom allergens, hyaluronidase and phospholipase: sequence similarity and antigenic cross-reactivity with their hornet and wasp homologs and possible implications for clinical allergy. *J. Allergy Clin. Immunol.* 98:588-600.
106. Hoffman, D.R. 1993. Allergens in hymenoptera venom XXV: The amino acid sequences of antigen 5 molecules and the structural basis of antigenic cross-reactivity. *J. Allergy Clin. Immunol.* 92:707-716.
107. Hoffman, D.R. 1992. Unpublished data.
108. Hoffman, D. R. 1993. The complete amino acid sequence of a yellowjacket venom phospholipase (abst). *J. Allergy Clin. Immunol.* 91:187.
109. Jacobson, R.S., D.R. Hoffman, and D.M. Kemeny. 1992. The cross-reactivity between bee and vespid hyaluronidases has a structural basis (abst). *J. Allergy Clin. Immunol.* 89:292.

110. Hoffman, D.R. 1993. Allergens in Hymenoptera venom XXIV: The amino acid sequences of imported fire ant venom allergens Sol i II, Sol i III, and Sol i IV. *J. Allergy Clin. Immunol.* 91:71-78.
111. Schmidt, M., R.B. Walker, D.R. Hoffman, and T.J. McConnell. 1993. Nucleotide sequence of cDNA encoding the fire ant venom protein Sol i II. *FEBS Letters* 319:138-140.
- 5 112. Elsayed S, Bennich H. The primary structure of Allergen M from cod. *Scand J Immunol* 3:683-686, 1974.
113. Elsayed S, Aas K, Sletten K, Johansson SGO. Tryptic cleavage of a homogeneous cod fish allergen and isolation of two active polypeptide fragments. *Immunochemistry* 9:647-661, 1972.
114. Hoffman, D. R. 1983. Immunochemical identification of the allergens in egg white. *J. Allergy Clin. Immunol.* 71:481-486.
- 10 115. Langeland, T. 1983. A clinical and immunological study of allergy to hen's egg white. IV. specific IgE antibodies to individual allergens in hen's egg white related to clinical and immunological parameters in egg-allergic patients. *Allergy* 38:493-500.
116. Daul, C.B., M. Slattery, J.E. Morgan, and S.B. Lehrer. 1993. Common crustacea allergens: identification of B cell epitopes with the shrimp specific monoclonal antibodies. In: "Molecular Biology and Immunology of Allergens" (D. Kraft and A. Sehon, eds.). CRC Press, Boca Raton. pp. 291-293.
- 15 117. K.N. Shanti, B.M. Martin, S. Nagpal, D.D. Metcalfe, P.V. Subba Rao. 1993. Identification of tropomyosin as the major shrimp allergen and characterization of its IgE-binding epitopes. *J. Immunol.* 151:5354-5363.
- 117A. M. Miyazawa, H. Fukamachi, Y. Inagaki, G. Reese, C.B. Daul, S.B. Lehrer, S. Inouye, M. Sakaguchi. 1996. Identification of the first major allergen of a squid (*Todarodes pacificus*). *J. Allergy Clin. Immunol.* 98:948-953.
- 117B A. Lopata et al. 1997. Characteristics of hypersensitivity reactions and identification of a unique 49 kDa IgE binding protein (Hal-m-1) in Abalone (*Haliotis midae*). *J. Allergy Clin. Immunol.* Submitted
- 20 118. Monsalve, R.I., M.A. Gonzalez de la Pena, L. Menendez-Arias, C. Lopez-Otin, M. Villalba, and R. Rodriguez. 1993. Characterization of a new mustard allergen, Bra j IE. Detection of an allergenic epitope. *Biochem. J.* 293:625-632.
119. Mena, M., R. Sanchez-Monge, L. Gomez, G. Salcedo, and P. Carbonero. 1992. A major barley allergen associated with baker's asthma disease is a glycosylated monomeric inhibitor of insect alpha-amylase: cDNA cloning and chromosomal location of the gene. *Plant Molec. Biol.* 20:451-458.
- 25 120. Menendez-Arias, L., I. Moneo, J. Dominguez, and R. Rodriguez. 1988. Primary structure of the major allergen of yellow mustard (*Sinapis alba* L.) seed, Sin a I. *Eur. J. Biochem.* 177:159-166.
121. Gonzalez R, Varela J, Carreira J, Polo F. Soybean hydrophobic protein and soybean hull allergy. *Lancet* 346:48-49, 1995.
122. Christie, J. F., B. Dunbar, I. Davidson, and M. W. Kennedy. 1990. N-terminal amino acid sequence identity between a major allergen of *Ascaris lumbricoides* and *Ascaris suum* and MHC-restricted IgE responses to it. *Immunology* 69:596-602.
- 30 123. Czuppon AB, Chen Z, Rennert S, Engelke T, Meyer HE, Heber M, Baur X. The rubber elongation factor of rubber trees (*Hevea brasiliensis*) is the major allergen in latex. *J Allergy Clin Immunol* 92:690-697, 1993.
124. Attanayaka DPSTG, Kekwick RGO, Franklin FCH. 1991. Molecular cloning and nucleotide sequencing of the rubber elongation factor gene from *hevea brasiliensis*. *Plant Mol Biol* 16:1079-1081.
125. Chye ML, Cheung KY. 1995. (1,3-glucanase is highly expressed in Laticifers of *Hevea brasiliensis*. *Plant Mol Biol* 26:397-402.
- 35 126. Alenius H, Palosuo T, Kelly K, Kurup V, Reunala T, Makinen-Kiljunen S, Turjanmaa K Fink J. 1993. IgE reactivity to 14-kD and 27-kD natural rubber proteins in Latex-allergic children with Spina bifida and other congenital anomalies. *Int Arch Allergy Immunol* 102:61-66.
127. Yeang HY, Cheong KF, Sunderasan E, Hamzah S, Chew NP, Hamid S, Hamilton RG, Cardoso MJ. 1996. The 14.6 kD (REF, Hev b 1) and 24 kD (Hev b 3) rubber particle proteins are recognized by IgE from Spina Bifida patients with Latex allergy. *J Allerg Clin Immunol* in press.
- 40 128. Sunderasan E, Hamzah S, Hamid S, Ward MA, Yeang HY, Cardoso MJ. 1995. Latex B-serum (-1,3-glucanase (Hev b 2) and a component of the microhelix (Hev b 4) are major Latex allergens. *J nat Rubb Res* 10:82-99.

Exchange.3196648.1